



PRODUCT NUMBER: 2012860

VELVET PALM LONG CUFF

Medium or heavy handling in wet or greasy conditions.

Overview

Reference Number

2012860

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Spelian

Brand formerly known as

PERFECT FIT

Industry

- Industry
- Agriculture
- Aviation
- Building and Construction
- Energy or Electricity
- Green Spaces
- Logistics
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Wood Industries

Product Use

Medium or heavy handling in wet or greasy conditions.

Features & Benefits

Feature

Leather glove
 Gunn cut, straight thumb
 Water-repellent cowhide velvet palm
 Water-repellent cowhide grain back
 100 mm split cuff
 Elasticated on the back

Benefit

COMFORT

The grain leather has been specially enriched in its tanning process to give the glove superior water repellent properties.
 This provides outstanding flexibility.
 Elasticated at the wrist, the glove offers added support.
 The winged thumb makes the glove more anatomical for greater ease of use.

RESISTANCE

The velvet leather provides good mechanical resistance, particularly with respect to abrasion. US assembly ensures a longer life while reducing the number of seams.
 The split leather cuff provides good protection of the forearm against mechanical hazards.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with :
 EN 420-03 EEC Basic standards
 EN 388-03 Mechanical hazards

CHARACTERISTICS :

Leather glove
 Gunn cut, straight thumb
 Water-repellent cowhide velvet palm
 Water-repellent cowhide grain back
 100 mm split cuff
 Elasticated on the back

Product Technology

Cut and Sewn

Coating Type

Leather

Length

34 cm

Thickness

0,8/1,1 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

7 to 11

EN 407 - Heat and/or Fire

Behaviour and/or fire	n/a
Resistance to contact heat	n/a
Resistance to convective heat	n/a
Resistance to radiant heat	n/a
Resistance to small metal splashes	n/a
Resistance to molten metal splashes	n/a

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance	1
Tear resistance	2
Puncture resistance	2

EN 511- Protection in cold temperatures:

Resistance to conductive cold	n/a
Resistance to contact cold	n/a
Water permeability	n/a

EN 381-7

Chainsaw protection	n/a
---------------------	-----

EN 12477

Protective gloves for welders	n/a
-------------------------------	-----

Packaging Label

Tagging
CE SPERIAN
2012860 XX
EN 420
EN 388 : 3122

Certifications

 [E.C. Declaration of Conformity](#)

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Attestation

 [EC Attestation](#)

EC Attestation Number

0075/797/162/11/06/0282

Photos & Images

We're sorry, there are no images available at this time.

Additional Information

User Manual

[UI 102](#)

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.



[View other Sperian Sites](#)
© 2011 Sperian Protection