



PRODUCT NUMBER: 2057731

VELVET PALM

Medium or heavy handling in wet or greasy conditions.

Overview

Reference Number

2057731

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Spelian

Brand formerly known as

PERFECT FIT

Industry

- Industry
- Agriculture
- Aviation
- Building and Construction
- Energy or Electricity
- Green Spaces
- Logistics
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Wood Industries

Product Use

Medium or heavy handling in wet or greasy conditions.

Features & Benefits

Feature

Water-repellent cowhide grain leather glove
 Gunn cut, winged thumb, wrist type
 Water-repellent flesh side grain palm
 Water-repellent grain back
 Elasticated back

Benefit

COMFORT

The grain leather has been specially enriched in its tanning process to give the glove superior water repellent properties.
 It thus provides the glove with outstanding comfort and flexibility.
 Elasticated at the wrist, the glove offers added support.
 The winged thumb makes the glove more anatomical for greater ease of use.

RESISTANCE

The glove's velvet leather provides good mechanical resistance.
 Its US assembly ensures a longer life while reducing the number of seams.

HYGIENE

As a result of the glove's water repellent treatment, it can be used durably in oily or damp atmospheres.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-03 EEC Basic standards
 EN 388-03 Mechanical Hazards

CHARACTERISTICS :

Water-repellent cowhide grain leather glove
 Gunn cut, winged thumb, wrist type
 Water-repellent flesh side grain palm
 Water-repellent grain back
 Elasticated back

Product Technology

Cut and Sewn

Coating Type

Leather

Length

25 cm

Thickness

0,8/1,1 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

7 to 11

EN 407 - Heat and/or Fire

Behaviour and/or fire	n/a
Resistance to contact heat	n/a
Resistance to convective heat	n/a
Resistance to radiant heat	n/a
Resistance to small metal splashes	n/a
Resistance to molten metal splashes	n/a

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance	1
Tear resistance	2
Puncture resistance	1

EN 511- Protection in cold temperatures:

Resistance to conductive cold	n/a
Resistance to contact cold	n/a
Water permeability	n/a

EN 381-7

Chainsaw protection	n/a
---------------------	-----

EN 12477

Protective gloves for welders	n/a
-------------------------------	-----

Packaging Label

Tagging
 CE SPERIAN
 2057731 XX
 EN 420
 EN 388 : 3121

Certifications

 [E.C. Declaration of Conformity](#)

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Attestation

 [EC Attestation](#)

EC Attestation Number

0075/797/162/02/07/0051

Photos & Images

We're sorry, there are no images available at this time.

Additional Information

User Manual

[UI 102](#)

User Information Sheet

[102](#)

Maintenance

Storage Information

Minimum packaging 10 pairs

Cartons of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.



[View other Sperian Sites](#)
© 2011 Sperian Protection